STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	000559	A. BUILDING 01 B. WING _____	09/04/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
GEORGE ADE MEMORIAL HEALTH CARE CENTER	3623 E SR 16 BROOK, IN 47922

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
K 000	INITIAL COMMENTS A Quality Assurance Walk-thru Survey was conducted by the Indiana State Department of Health. Facility Number: 000559 Provider Number: 155719 AIM Number: 100267170 Survey Date: 09/04/12 Surveyor: Bridget Brown, Life Safety Code Specialist and Robert Sutton, Trainee At this Quality Assurance Walk-thru Survey, George Ade Memorial Health Care Center was found in compliance with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 483.70(a), Life Safety from Fire and the 2000 edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 19, Existing Health Care Occupancies. This one story facility was determined to be of Type II (222) construction and was sprinklered. The facility has a fire alarm system with hard wired smoke detectors in the corridors, spaces open to the corridors, and in resident rooms. The facility has the capacity for 70 and had a census of 56 at the time of this survey. The facility was found in compliance with state law in regard to sprinkler coverage and smoke detector coverage. All areas where residents have customary access were sprinklered and all areas providing facility services were sprinklered. Quality Review by Robert Booher, REHS, Life	K 000		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	000559	A. BUILDING 01 B. WING _____	09/04/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
GEORGE ADE MEMORIAL HEALTH CARE CENTER	3623 E SR 16 BROOK, IN 47922

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
K 000	Continued From page 1 Safety Code Specialist-Medical Surveyor on 09/05/12.	K 000		